

LEONARD M. OSBORNE - CE 38573
DAVID R. GERVAN - CE 57282
DAVID N. LINDBERG - RG 5581/CEG 1895
FRANK R. BICKNER - RG 7428
RONALD C. CHANEY, Ph.D - GE 000934

LETTER OF TRANSMITTAL

TO:	HCDEH			DATE:	April 6, 2005	
	100 H St.,	Ste. 100		OB NO.:	4844.01	
	Eureka, CA	A 95501	F	PROJECT:	LOP No. 12290	
ATTN:						
TRANS	SMITTED BY	: 🛭 Mail	Delivered	In Person	Fax	
No. Co	pies	Description				
1	1.	Subsurface	Investigation Rep	ort of Findi	ngs	
	2.					
	3.					
	4.					
	5.					
	6.					
REMAF	RKS:					
	·					
THIS M	/ATERIAL SI	ENT FOR:		ted		11
cc: D	on Murrish, Mi	urrish and Associa			Gary L. Manhart, P.G.	
					Gary L. Marinari, F.G.	

SUBSURFACE INVESTIGATION REPORT OF FINDINGS

Former Zenker-Felt Motors 22 West Fourth Street, Eureka, California

LOP No. 12290


Prepared for:
Mr. Donald Murrish
Murrish and Associates
925 Sixth Street
Eureka, California 95501

Manhart, P.G. 7169, Exp. 10/31/06

No. 7169

Exp. 10/31/06

Gary L Manhart, P.G. 7169, Exp. 10/31/06





LACO ASSOCIATES

CONSUMERATORISMOS

SUBSURFACE INVESTIGATION REPORT OF FINDINGS

Former Zenker-Felt Motors; 22 West Fourth Street, Eureka, California LOP No. 12290; LACO ASSOCIATES Project No. 4844.01

EXECUTIVE SUMMARY

Field work to verify the degradation of the petroleum hydrocarbon mass, originating from the former waste oil underground storage tank (UST) at the former Zenker-Felt Motors site, was conducted on January 24, 2005 (Figure 1). The work was performed according to the November 10, 2003, *Additional Site Assessment Letter Workplan*, prepared by LACO ASSOCIATES (LACO), in response to the Humboldt County Division of Environmental Health (HCDEH) letter dated September 18, 2003, outlining regulatory closure requirements for the site. The November 10, 2003, workplan was approved by HCDEH in correspondence dated November 23, 2003. Additionally, to satisfy regulatory closure requirements, a sensitive receptor survey for the site was submitted to HCDEH March 31, 2004.

LACO, under the observation of a staff geologist, installed one temporary soil boring, B12 (Figure 2), to determine if degradation of soil and groundwater contamination is occurring at the site. Analysis of the soil and groundwater samples collected from this boring indicate that the petroleum hydrocarbon mass has degraded to below detection limits in soil and groundwater in this location, adjacent to the primary source area. Based on analytical results from this investigation, and the stability of the defined groundwater plume identified during previous investigations, corrective action at the site appears complete and we request case closure.

BACKGROUND

One 1,000-gallon waste oil UST was removed from the site in June 1990 by Beacom Construction of Fortuna, California. Three phases of subsurface work were performed to delineate the extent of contamination at the site, May 2000, November 2001, and February 2002. These three phases of work were presented in our May 2000 and June 2002 reports. Concentrations of motor oil in soil greater than 1,000 parts per million (ppm) were reported in historical borings B3, B5 (May 2000), and B6 (November 2001) between depths of approximately 5 and 10 feet. Non-detect and low (less than 50 ppm) motor oil concentrations reported in historical borings B1, B2, B4, and B7 through B11, essentially surrounding borings B3, B5, and B6, delineated the extent of the sorbed-phase mass at the site. Additionally, groundwater impacted by waste oil at the site was identified in only two borings (B3 and B6). Based on this analytical data, LACO concluded the plume to be "defined and stable." HCDEH concurred with the state of the plume in their letter dated September 2003.

SITE DESCRIPTION

The subject property is located on the north side of Fourth Street approximately 100 feet west of the Fourth and A Streets intersection (Figure 2). The immediate site area is serviced by City of Eureka water and sewer. PG&E provides electricity and natural gas, and phone service is provided by Pacific Bell.

The site is located on the filled tidal margin of Humboldt Bay. Surface drainage is generally toward the west. Native soil encountered during this boring installation was capped by approximately 5 feet of dredge fill. A peat layer was identified in the boring at a depth of approximately 5.7 feet. Native soil consisted of gray silty sand. Soils observed in boring B12 during this investigation are typical of soils observed in historical borings across the site.

Soil conditions were saturated beginning at a depth of approximately 1 foot at the time of this investigation.

METHODS

Field Methods

In accordance with our approved workplan, LACO installed, logged, and sampled one temporary boring, B12, at the former Zenker-Felt Motors site on January 24, 2005. The boring was installed using direct push GeoProbe technology to a depth of approximately 8 feet. Soil types encountered were logged and classified in accordance with ASTM D-2488 criteria. Boring B12 was installed between the former tank and historical boring B6 to ensure the soil and groundwater samples collected were in the core of the presumed contaminant mass.

One soil sample was collected at a depth of approximately 6 feet from boring B12. The sample was collected in a brass tube, the ends of the brass tube were sealed with Teflon film, and capped with plastic end caps. The sample was stored and transported in a chilled chest, and submitted under chain of custody to a State-certified laboratory for analysis of:

- Total Petroleum Hydrocarbons as gasoline (TPHg) by EPA Method 5035/GCFID
- Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX) by EPA Method 8021B
- Methyl Tertiary Butyl Ether (MTBE) by EPA Method 8021B
- Total Petroleum Hydrocarbons as diesel (TPHd) and motor oil (TPHmo) by EPA Method
 3550 with silica gel cleanup

One groundwater sample was collected from boring B12 from a screened interval of approximately 4 to 8 feet below ground surface. The groundwater sample was collected using hydro-punch technology. The hydro-punch sampler was driven down to the target depth and no more than 4 feet of screen was exposed. The sample was collected using a tubing bottom checkball valve and decanted directly into a laboratory-supplied container. The sample was placed in a chilled cooler to ensure the preservation of analytes. The sample was then submitted to a State-certified laboratory for analysis under chain-of-custody protocol for analysis of:

- TPHg by EPA Method 8260
- BTEX by EPA Method 8260
- MTBE by EPA Method 8260
- TPHd and TPHmo by EPA Method 3550 with silica gel cleanup

RESULTS OF INVESTIGATION

Analytical Results

Analysis of the soil and groundwater samples collected from boring B12 did not detect the presence of any of the tested analytes above standard detection limits. Current and historical soil and groundwater analytical results from temporary borings are summarized in Tables 1 and 2, respectively. Figure 3 presents current and historical soil contaminant concentrations at the site. Figure 4 presents current and historical groundwater contaminant concentrations at the site.

DISCUSSION

The soil and groundwater contaminant masses at the site were defined by the 2000, 2001 and 2002 subsurface investigations. Data generated from these boring installations suggest that the majority of the soil contamination mass associated with the former waste oil UST is minimal, not mobile, and does not extend laterally further than approximately 5 feet from the tank cavity. Additionally, groundwater impacted by the former waste oil tank was identified in groundwater samples collected from borings B3 and B6 and appeared to be delineated to within 5 feet from the tank cavity. Reports of non-detect for the contaminants of concern in all other groundwater samples from the site provide evidence for the stability of the groundwater plume.

Boring B12, installed during this investigation, was purposefully located in between the primary source area and boring B6, located approximately 5 feet from the former cavity, and reportedly the most impacted boring to date. The purpose of boring B12 was to confirm contaminant degradation at the site and provide evidence to contribute to the argument for case closure. Based

on the reported non-detections of all target analytes in boring B12, located in between the

primary source and boring B6, it appears that the contaminant mass continues to maintain

stability in both soil and groundwater adjacent to the former UST.

As stated in the 2002 report (LACO, June 2002), and in conjunction with data collected during

this investigation, MTBE has been detected in groundwater collected from all but four borings

(B2, B5, B9, and B12) at the site. Historically, the subject property operated as an automotive

repair business. The UST removed from the site in 1990 was used to hold waste oil only.

Gasoline products were not sold or stored at this site. MTBE has been indicated in groundwater

samples from neighboring up-gradient UST sites. It appears that the low concentrations of

MTBE have migrated onto the site from up-gradient sources.

RECOMMENDATIONS

Having satisfied the requirements for regulatory closure as defined in the September 18, 2003,

HCDEH correspondence (submittal of a sensitive receptor survey and data point showing

declining trend), LACO recommends that no further action be required for this site and requests

case closure.

LIMITATIONS

LACO ASSOCIATES has conducted the services identified herein in a manner consistent with

the levels of care and skill ordinarily exercised by members of our profession currently

practicing in our area under similar conditions as this project. No other warranty or

representation, expressed or implied, is included or intended for this document.

This report is an instrument of service of LACO ASSOCIATES and was prepared for and was

intended for the exclusive use of Murrish and Associates. The contents of this report may not be

relied upon by any other party other than Murrish and Associates without the express written

permission of LACO ASSOCIATES.

This report's findings are based on conditions that existed in the dates indicated and in the

specified location where samples were taken. The findings herein should not be relied on to

precisely report conditions at any other time or location.

LIST OF FIGURES

Figure 1: Location Map

Figure 2: Site Map

Figure 3: Soil Contaminant Concentration Map

Figure 4: Groundwater Contaminant Concentration Map

LIST OF TABLES

Table 1: Soil Boring Analytical Results


Table 2: Groundwater Analytical Results (borings)


LIST OF ATTACHMENTS


Attachment 1: Temporary Boring Log

Attachment 2: Laboratory Analytical Reports

P:\4800\4844 Murrish Zenker Felt\Submittals\4844 RoFandRequestClosure.doc










TABLE 1: SOIL ANALYTICAL RESULTS

Former Zenker-Felt Motors 22 W. 4th Street, Eureka LACO No. 4844.00

Sample	of of any	TPHg	PHAL	TPHmo	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Addt'l Analytes *
2000 Investigation	stigation	(PE/E/	(HE/E/	(ME/B)	(#E/E/	(号/号中)	(9 (9 +1)	(HE/E/	(FE/E)	WEED.
B1 @ 5'	5/17/2000	ND<1.0	ND <1.0	71	ND <0.005	ND <0.005	ND <0.005	ND <0,005	ND <0.050	1
B1 @ 10'	5/17/2000	ND<1.0	ND <1.0	ND <10	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.050	ŀ
B1 @ 15'	5/17/2000	ND<1.0	ND<1.0	ND <10	ND <0.005	ND <0.020	ND <0.005	ND <0.005	ND <0.050	1
B2 @ 5'	5/17/2000	ND<1.0	1.1	32	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.050	I
B2 @ 10'	5/17/2000	ND<1.0	ND<1.0	ND <10	ND <0,005	ND <0.005	ND <0.005	ND <0.005	ND <0.050	I
B2 @ 15'	5/17/2000	ND<1.0	ND <1.0	ND <10	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.050	
B3 @ 5'	5/17/2000	16	200	3,100	ND <0.005	ND <0.010	ND <0.010	ND <0.010	ND <0.050	I
B3 @ 10'	5/17/2000	2.1	480	3,000	ND <0,005	ND <0.005	ND <0.005	ND <0.005	ND <0.005	All ND
B4 @ 5'	5/17/2000	ND <1.0	1.7	21	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.050	1
B4 @ 10'	5/17/2000	ND <1.0	0.1> CN	ND <10	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.050	i
BS @ 5'	5/17/2000	77	170	2,500	ND <0.050	ND <0.40	ND <0.40	ND <0.80	ND <0.50	I
B5 @ 10'	5/17/2000	ND <1.0	ND<1.0	ND <10	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.050	1
BS @ 15'	5/17/2000	ND <1.0	ND<1.0	ND <10	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.050	and the second
2001 Investigation	gation									
B6 @ 6'	11/13/2001	320	ND <1,000	26,000	ND <0.05	ND <0.5	ND <0.5	ND <0.5	ND <0.5	i
B6 @ 12'	11/13/2001	4.4	ND <10	180	ND <0.005	0.0062	ND <0.005	0.011	ND <0.005	*******
B7 @ 6'	11/13/2001	ND <1.0	ND <1.0	ND <10	ND <0.005	0.0051	ND <0.005	0.0067	ND <0.005	ı
B7 @ 12'	11/13/2001	ग	ND <1.0	ND<10	ND <0.005	0.062	ND <0.005	0.135	ND <0.005	l
B8 @ 6'	11/13/2001	1.1	1,3	27	ND <0.005	ND <0.005	ND <0.005	0.0086	ND <0.005	!
B8 @ 12'	11/13/2001	ND <1.0	ND <1.0	ND <10	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.005	-
2002 Investigation	igation									
B9 @ 4.5'	2/22/2002	ND <1.0	ND <1.0	ND <10	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.005	I
B10 @ 5	2/22/2002	ND <1.0	2.9	ਲ	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.005	Make
B11 @ 5'	2/22/2002	ND <1.0	ND <1.0	ND <10	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.005	i
2005 Investigation B12 @ 6'	igation 1/24/2005	ND <1.0	ND<1.0	ND <10	ND <0.005	ND <0.005	ND <0.005	ND <0.005	ND <0.005	e e e e e e e e e e e e e e e e e e e

^{*} Additional analytes include polynuclear aromatic hydrocarbons (PAH) and halogenated volatiles

TABLE 2: GROUNDWATER ANALYTICAL RESULTS

Former Zenker-Felt Motors 22 W. 4th Street, Eureka

LACO No. 4844.00

		-										
										Other	Lead	
Sample		TPHg	TPHd	TPHmo	Benzene		Toluene Ethylbenzene Xylenes	Xylenes	MTBE	Oxygenates	Oxygenates Scavengers Creosote	Creosote
Number	Sample Date	(hg/l)	(l/gn)	(μg/l)	(l/gr/)	(µg/l)	(hg/l)	(µg/J)	(µg/l)	(l/g/l)	(hg/l)	(hg/l)
2000 Investigation	igation											
B1	5/17/2000	ND < 50	ND < 50	ND < 170	ND < 0.50 ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	2,3	ND	QN	ļ
B2	5/17/2000	ND < 50	ND < 50	ND < 170	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50 ND < 0.50	ND < 0.50	ND	QN	;
В3	5/17/2000	ND < 50	170	420	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	6.0	ON	ND	Absent
B4	5/17/2000	ND < 50	ND < 50	ND < 170	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	2.5	ND	ND	***
BS	5/17/2000	ND < 50	ND < 50	ND < 170	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50 ND < 0.50	ND < 0.50	QN	Q.	Absent
2001 Investigation	stigation											
B6	11/13/2001	ND < 50	360	10,000	ND < 0.50 ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	1.9	ND < 120	ł	1
B7	11/13/2001	ND < 50	ND < 50	ND < 170	ND < 0.50 ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	1.8	ND < 120	***	1
B8	11/13/2001	ND < 50	ND < 50	ND < 170	ND < 0.50 ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	2.1	ND < 120	į	1
2002 Investigation	stigation											
B 9	2/22/2002	ND < 50	ND < 50	ND < 170	ND < 0.50 ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 3.0		!	1
B10	2/22/2002	ND < 50	ND < 50	ND < 170	ND < 0.50 ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	5.0	•) 1	
B11	2/22/2002	ND < 50	ND < 50	ND < 170	ND < 0.50 ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	3.8	3 4	3 5	i
2005 Investigation	stigation	ND < 50	ND < 50	ND < 170	ND < 170 ND < 0.50 ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50 ND < 1.0	ND < 1.0	S		T e e
!	***************************************	1		1						!		

Fuel Oxygenates include: di-isopropyl ether (DIPE), methanol, ethyl tertiary butyl ether (ETBE), tert-amyl methyl ether (TAME) and tert-butyl alcohol (TBA) Lead Scavengers (former fuel additives): ethylene dibromide (EDB), dichloroethane (DCA), dichlorobenzene, and chlorobenzene.

Attachment 1

ENVIRONMENTAL BORING LOG

Boring No.

B12

PROJECT: ZENKER FELT MOTORS

PROJECT NO.: 4844.00

BORING LOCATION: BTWN FORMER UST AND BORING B6 DATE: 1/24/05

DRILLING METHOD: DIRECT PUSH

ELEVATION: APPROX 5 FEET MSL

DRILLER: LACO INSTALLED

LOGGED BY: GLM

DEPTH TO WATER: INITIAL \(\frac{\pi}{\pi} \) : 1 FOOT

COMPLETION ₹ : 1 FOOT

SITE GEOLOGY: FILLED BAY MARGIN

SITE GEOL	.ogy: FILLED B	AY MA	RGIN		····
ELEVATION/	SOIL SYMBOLS, SAMPLERS	USCS	Description	P.I.D. ppm	Hanby result
DEPTH 0 - 0 - 1.5 1.5		FILL FILL OL SW-SM	CONCRETE DREDGE FILL: Silty sand, loose, gray, saturated. SILTY CLAY: Soft, gray, wet to saturated. ORGANIC SILT/PEAT: Medium stiff, dark brown to black, wet. WELL GRADED SAND WITH SILT: With fine gravel, medium dense, gray, saturated. BOTTOM OF BORING AT 8 FEET IN SAME.		
1				7 .	1 7

Collected soil sample at a depth of approximately 6 feet. Collected groundwater sample using hydropunch technology. Hydropunch screen interval set at approximately 4 to 8 feet bgs.

Figure	

Attachment 2



February 18, 2005

FEB 2 2 2005

LACO Associates P.O. Box 1023 Eureka, CA 95502

DRGS

Attn: Gary Manhart

GCH ____

RE: 4844.01 Zenker-Felt

Order No.: 0501476 Invoice No.: 47978

PO No.:

ELAP No. 1247-Expires July 2006

SAMPLE IDENTIFICATION

Fraction	Client Sample Description
01A	4844-B12-S
01B	4844-B12-S
02A	4844-B12-W
02D	4844-B12-W

ND = Not Detected at the Reporting Limit

Limit = Reporting Limit

All solid results are expressed on a wetweight basis unless otherwise noted.

REPORT CERTIFIED BY

Laboratory Supervisor(s)

QA Unit

Jesse G. Chaney, Jr. Laboratory Director

North Coast Laboratories, Ltd.

CLIENT:

LACO Associates

Project:

4844.01 Zenker-Felt

Lab Order:

0501476

CASE NARRATIVE

Date: 18-Feb-05

THIS IS AN AMENDED REPORT!

TPH as Motor Oil was added and the sample extracts were re-analyzed per client request. Laboratory control sample/laboratory control sample duplicate (LCS/LCSD) data are not available for this analye.

Both samples submitted for a silica gel cleanup were initially analyzed for diesel. The samples showed no detectable levels of the analyte and were not subjected to the cleanup procedure.

Gasoline Components/Additives:

The surrogate recovery was below the lower acceptance limit for the method blank. The response of the reporting limit standard was such that the analytes would have been detected even with the low recovery; therefore, the data were accepted.

TPH as Diesel - Water:

The surrogate recoveries were above the upper acceptance limit for sample 4844-B12-W and the laboratory control sample/laboratory control sample duplicate (LCS/LCSD). The LCS/LCSD recoveries were within the acceptance limits for diesel; therefore, the data were accepted.

TPH as Diesel - Soil:

The surrogate recoveries were above the upper acceptance limit for the method blank and the LCS/LCSD. The LCS/LCSD recoveries were within the acceptance limits for diesel; therefore, the data were accepted.

Date:

18-Feb-05

WorkOrder: 0501476

.

ANALYTICAL REPORT

Client Sample ID: 4844-B12-S

Received: 1/24/05

Collected: 1/24/05 0:00

Lab ID: 0501476-01A

Matrix: Soil

Test Name: BTEX

Reference: EPA 5035/EPA 8021B

<u>Parameter</u>	Result	<u>Limit</u>	<u>Units</u>	$\underline{\mathbf{DF}}$	Extracted	Analyzed
MTBE	ND	0.050	ha/a	1.0	1/26/05	1/27/05
Benzene	ND	0.0050	μg/g	1.0	1/26/05	1/27/05
Toluene	ND	0.0050	μg/g	1.0	1/26/05	1/27/05
Ethylbenzene	ND	0.0050	µg/g	1.0	1/26/05	1/27/05
m,p-Xylene	ND	0.0050	μg/g	1.0	1/26/05	1/27/05
o-Xylene	ND	0.0050	μg/g	1.0	1/26/05	1/27/05
Surrogate: Cis-1,2-Dichloroethylene	105	71.8-135	% Rec	1.0	1/26/05	1/27/05

Test Name: TPH as Gasoline

Reference: EPA 5035/GCFID(LUFT)/EPA 8015B

Parameter Parame	Result	<u>Limit</u>	<u>Units</u>	$\overline{\mathbf{DF}}$	Extracted	<u>Analyzed</u>
TPHC Gas (C6-C14)	ND	1.0	μg/g	1.0	1/26/05	1/27/05

Client Sample ID: 4844-B12-S

Received: 1/24/05

Collected: 1/24/05 0:00

Lab ID: 0501476-01B

Matrix: Soil

Test Name: TPH as Diesel

Reference: EPA 3550/GCFID(LUFT)/EPA 8015B

<u>Parameter</u>	Result	<u>Limit</u>	<u>Units</u>	$\overline{\mathbf{DF}}$	Extracted	<u>Analyzed</u>
TPHC Diesel (C12-C22)	ND	1.0	μg/g	1.0	2/1/05	2/2/05
Surrogate: N-Tricosane	121	45.3-122	% Rec	1.0	2/1/05	2/2/05

Test Name: TPH as Diesel/Motor Oil

Reference: EPA 3550/GCFID(LUFT)/EPA 8015B

Parameter	Result	<u>Limit</u>	<u>Units</u>	$\overline{\mathbf{DF}}$	Extracted	<u>Analyzed</u>
TPHC Motor Oil	ND	10	μg/g	1.0	2/1/05	2/14/05

Date:

18-Feb-05

WorkOrder: 0501476

ANALYTICAL REPORT

Client Sample ID: 4844-B12-W

Received: 1/24/05

Collected: 1/24/05 0:00

Lab ID: 0501476-02A

Matrix: Groundwater

Test Name:	Gasoline Components/Additives	Reference: LUFT/EPA 8260B Modified
------------	-------------------------------	------------------------------------

Parameter	Result	<u>Limit</u>	<u>Units</u>	$\underline{\mathbf{DF}}$	Extracted	Analyzed
Methyl tert-butyl ether (MTBE)	ND	1.0	µg/Ľ	1.0		2/3/05
Tert-butyl alcohol (TBA)	ND	10	μg/Ľ	1.0		2/3/05
Di-isopropyl ether (DIPE)	ND	1.0	μg/L	1.0		2/3/05
Ethyl tert-butyl ether (ETBE)	ND	1.0	μg/L	1.0		2/3/05
Benzene	ND	0.50	μg/L	1.0		2/3/05
Tert-amyl methyl ether (TAME)	ND	1.0	μg/L	1.0		2/3/05
Toluene	ND	0.50	µg/L	1.0		2/3/05
Ethylbenzene	ND	0.50	μg/L	1.0		2/3/05
m,p-Xylene	ND	0.50	μg/L	1.0		2/3/05
o-Xylene	ND	0.50	μg/L	1.0		2/3/05
Surrogate: 1,4-Dichlorobenzene-d4	85.8	80.8-139	% Rec	1.0		2/3/05

Test Name: TPH as Gasoline Reference: LUFT/EPA 8260B Modified

Parameter	Result	<u>Limit</u>	<u>Units</u>	<u>DF</u>	Extracted	<u>Analyzed</u>
TPHC Gasoline	ND	50	μg/L	1.0		2/3/05

Client Sample ID: 4844-B12-W

Received: 1/24/05

Collected: 1/24/05 0:00

Lab ID: 0501476-02D

Matrix: Groundwater

Test Name: TPH as Diesel Reference: EPA 3510/GCFID(LUFT)/EPA 8015B

<u>Parameter</u>	Result	<u>Limit</u>	<u>Units</u>	$\overline{\mathbf{DF}}$	Extracted	<u>Analyzed</u>
TPHC Diesel (C12-C22)	МD	50	μg/L	1.0	1/29/05	1/31/05
Surrogate: N-Tricosane	119	27.6-107	% Rec	1.0	1/29/05	1/31/05

Test Name: TPH as Diesel/Motor Oil Reference: EPA 3510/GCFID(LUFT)/EPA 8015B

Parameter	Result	<u>Limit</u>	<u>Units</u>	$\underline{\mathbf{DF}}$	<u>Extracted</u>	<u>Analyzed</u>
TPHC Motor Oil	ND	170	µg/L	1.0	1/29/05	2/14/05

NORTH	LABORAT	5680 West End Road • 707-822-4649
X	大名	A

vrcata · CA 95521-9202 ax 707-822-6831

MIES LTD. OAST


Chain of Custody

o

LABORATORY NUMBER:	TAT: \Box 24 Hr \Box 48 Hr \Box 5 Day \Box 5–7 Day \Box STD (2–3 Wk) \Box Other:	REPORTING REQUIREMENTS: State Forms ☐ Preliminary: FAX ▼ Verbal □ By:/ Final Report: FAX □ Verbal □ By:/	CONTAINER CODES: 1—1/2 gal. pl; 2—250 ml pl; 3—500 ml pl; 4—1 L Nalgene; 5—250 ml BG; 6—500 ml BG; 7—1 L BG; 8—1 L cg; 9—40 ml VOA; 10—125 ml VOA; 11—4 oz glass jar; 12—8 oz glass jar; 13—brass tube; 14—other	PRESERVATIVE CODES: a—HNO ₃ ; b—HCl; c—H ₂ SO ₄ ; d—Na ₂ S ₂ O ₃ ; e—NaOH; f—C ₂ H ₃ O ₂ Cl; g—other		throng of cools:	Autorian de la constitución de l	╚	M NCL Disposal of Non-Contaminated ☐ Return ☐ Pickup	CHAIN OF CUSTODY SEALS Y/N/NA SHIPPED VIA: UPS Air-Ex Fed-Ex Bus Hand
								DATE/TIME	2 3 2	3
	PRESERVATIVE	CONTRINER F CONTRINER	795/M 1-1917 795/M 5348/ SISAIV	7 PHO-1				RECEIVED BY (Sign)	Med and A	
			To the second se	**XIGATA						
331			03/10/10					DATE/TIME	50/2	
707-822-4649 Fax 707-822-6831	MANOHARETT		rint): C./ W./ W./ PROJECT INFORMATION	+724	10 10 10 10 10 10 10 10 10 10 10 10 10 1				0 20	
707-822-464		m 505	11): 62/14/1 OJECT INF		25-28			O RY (Ston &		
)	Attention: CARINA Results & Invoice to: Address: Z I	ont to:	Sampler (Sign & Print): 627 WA PROJECT IN	Project Name: ZENCEZ Purchase Order Number:				RELINCHISHED RY (Sign & Print)		

LABID

*MATRIX: DW=Drinking Water; Eff=Effluent; Inf=Influent; SW=Surface Water; GW=Ground Water; 5=5011; U=Utner.





February 07, 2005

LACO Associates P.O. Box 1023 Eureka, CA 95502

Attn: Gary Manhart

RE: 4844.01 Zenker-Felt

DRG GOT

Order No.: \(\overline{0501476} \)
Invoice No.: \(47978 \)

PO No.:

ELAP No. 1247-Expires July 2006

SAMPLE IDENTIFICATION

Fraction	Client Sample Description
01A	4844-B12-S
01B	4844-B12-S
02A	4844-B12-W
02D	4844-B12-W

ND = Not Detected at the Reporting Limit

Limit = Reporting Limit

All solid results are expressed on a wetweight basis unless otherwise noted.

REPORT CERTIFIED BY

Laboratory Supervisor(s)

QA Unit

Jesse G. Chaney, Jr. Laboratory Director

North Coast Laboratories, Ltd.

CLIENT:

LACO Associates

Project:

4844.01 Zenker-Felt

Lab Order:

0501476

CASE NARRATIVE

Date: 07-Feb-05

Both samples submitted for a silica gel cleanup were initially analyzed for diesel. The samples showed no detectable levels of the analyte and were not subjected to the cleanup procedure.

Gasoline Components/Additives:

The surrogate recovery was below the lower acceptance limit for the method blank. The response of the reporting limit standard was such that the analytes would have been detected even with the low recovery; therefore, the data were accepted.

TPH as Diesel - Water:

The surrogate recoveries were above the upper acceptance limit for sample 4844-B12-W and the laboratory control sample/laboratory control sample duplicate (LCS/LCSD). The LCS/LCSD recoveries were within the acceptance limits for diesel; therefore, the data were accepted.

TPH as Diesel - Soil:

The surrogate recoveries were above the upper acceptance limit for the method blank and the LCS/LCSD. The LCS/LCSD recoveries were within the acceptance limits for diesel; therefore, the data were accepted.

Date:

07-Feb-05

WorkOrder: 0501476

ANALYTICAL REPORT

Client Sample ID: 4844-B12-S

Received: 1/24/05

Collected: 1/24/05 0:00

Lab ID: 0501476-01A

Matrix: Soil

Test Name: BTEX

Reference: EPA 5035/EPA 8021B

<u>Parameter</u>	Result	<u>Limit</u>	<u>Units</u>	<u>DF</u>	Extracted	Analyzed
MTBE	ND	0.050	µg/g	1.0	1/26/05	1/27/05
Benzene	ND	0.0050	μg/g	1.0	1/26/05	1/27/05
Toluene	ND	0.0050	µg/g	1.0	1/26/05	1/27/05
Ethylbenzene	ND	0.0050	μg/g	1.0	1/26/05	1/27/05
m,p-Xylene	ND	0.0050	µg/g	1.0	1/26/05	1/27/05
o-Xylene	ND	0.0050	μg/g	1.0	1/26/05	1/27/05
Surrogate: Cis-1,2-Dichloroethylene	105	71.8-135	% Rec	1.0	1/26/05	1/27/05

Test Name: TPH as Gasoline

Reference: EPA 5035/GCFID(LUFT)/EPA 8015B

<u>Parameter</u>	Result	<u>Limit</u>	<u>Units</u>	$\overline{\mathbf{DF}}$	Extracted	<u>Analyzed</u>
TPHC Gas (C6-C14)	ND	1.0	μg/g	1.0	1/26/05	1/27/05

Client Sample ID: 4844-B12-S

Received: 1/24/05

Collected: 1/24/05 0:00

Lab ID: 0501476-01B

Matrix: Soil

Test Name: TPH as Diesel

Reference: EPA 3550/GCFID(LUFT)/EPA 8015B

<u>Parameter</u>	Result	<u>Limit</u>	<u>Units</u>	$\overline{\mathbf{DF}}$	Extracted	Analyzed
TPHC Diesel (C12-C22)	ND	1.0	μg/g	1.0	2/1/05	2/2/05
Surrogate: N-Tricosane	121	45.3-122	% Rec	1.0	2/1/05	2/2/05

Client Sample ID: 4844-B12-W

Received: 1/24/05

Collected: 1/24/05 0:00

Lab ID: 0501476-02A

Matrix: Groundwater

Reference: LUFT/EPA 8260B Modified Test Name: Gasoline Components/Additives

<u>Parameter</u>	Result	<u>Limit</u>	<u>Units</u>	$\overline{\mathbf{DF}}$	Extracted	Analyzed
Methyl tert-butyl ether (MTBE)	ND	1.0	µg/L	1.0		2/3/05
Tert-butyl alcohol (TBA)	ND	10	µg/L	1.0		2/3/05
Di-isopropyl ether (DIPE)	ND	1.0	µg/L	1.0		2/3/05
Ethyl tert-butyl ether (ETBE)	ND	1.0	µg/∟	1.0		2/3/05
Benzene	ND	0.50	µg/L	1.0		2/3/05
Tert-amyl methyl ether (TAME)	ND	1.0	µg/L	1.0		2/3/05
Toluene	ND	0.50	µg/L	1.0		2/3/05
Ethylbenzene	ND	0.50	µg/L	1.0		2/3/05
m,p-Xylene	. ND	0.50	µg/L	1.0		2/3/05
o-Xylene	ND	0.50	µg/L	1.0		2/3/05
Surrogate: 1,4-Dichlorobenzene-d4	85.8	80.8-139	% Rec	1.0		2/3/05

Date:

07-Feb-05

WorkOrder: 0501476

Test Name: TPH as Gasoline

ANALYTICAL REPORT

Reference: LUFT/EPA 8260B Modified

Result Limit Units $\underline{\mathbf{DF}}$

Extracted **Analyzed Parameter** 2/3/05 **TPHC** Gasoline ND μg/L 1.0

Client Sample ID: 4844-B12-W **Received:** 1/24/05 Collected: 1/24/05 0:00

Lab ID: 0501476-02D Matrix: Groundwater

Reference: EPA 3510/GCFID(LUFT)/EPA 8015B Test Name: TPH as Diesel

<u>Parameter</u>	Result	<u>Limit</u>	<u>Units</u>	$\overline{\mathbf{DF}}$	Extracted	Analyzed
TPHC Diesel (C12-C22)	ND	50	μg/L	1.0	1/29/05	1/31/05
Surrogate: N-Tricosane	119	27.6-107	% Rec	1.0	1/29/05	1/31/05

North Coast Laboratories, Ltd.

LACO Associates CLIENT:

0501476 Work Order: 4844.01 Zenker-Felt Project:

QC SUMMARY REPORT

Date: 07-Feb-05

Method Blank

Sample IU: MIS 020205	Batch ID: R33168	Test Code	Test Code: 8260OXYW	Units: µg/L		Analysis	Analysis Date: 2/3/05 1:08:00 AM	1:08:00 AM	Prep Date:	ıte:	
Client ID:		Run ID:	ORGCMS2_050202A	50202A		SeqNo:	480986				
Analyte	Result	Limit	SPK value	SPK value SPK Ref Val	% Rec	LowLimit	LowLimit HighLimit RPD Ref Val	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl tert-butyl ether (MTBE)	ON .	1.0	Allandia	TO STANDARD CONTRACTOR TO STANDARD CONTRACTOR CONTRACTO							- 1000 TANADO - 1000 TANADO
Tert-butyl alcohol (TBA)	Q	10									
Di-isopropyl ether (DIPE)	QN	1.0									
Ethyl tert-butyl ether (ETBE)	QN	1.0									
Benzene	QN	0.50									
Tert-amyl methyl ether (TAME)	QN	1.0									
Toluene	0.07997	0.50									7
Ethylbenzene	0.1397	0.50									7
m,p-Xylene	QN	0.50									
o-Xylene	0.1953	0.50									7
1,4-Dichlorobenzene-d4	0.806	0.10	1.00	0	80.6%	84	139	0			S
Sample ID: MB-12860	Batch ID: 12860	Test Code: BTXES	BTXES	Units: µg/g		Analysis	Date: 1/26/0	Analysis Date: 1/26/05 10:51:51 PM	Prep Da	Prep Date: 1/26/05	
Client ID:		Run ID:	ORGC8_050126B	26B		SeqNo:	479011				
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	LowLimit HighLimit RPD Ref Val	RPD Ref Val	%RPD	RPDLimit	Qual
MTBE	QN	0.050									
Benzene	Q	0.0050									
Toluene	QN	0.0050									
Ethylbenzene	Q	0.0050									
m,p-Xylene	9	0.0050									
o-Xylene	QN	0.0050									
Cis-1.2-Dichloroethylene	0.970	0.10	1 00	c	97.1%	7.2	125	C			

ND - Not Detected at the Reporting Limit Qualifiers:

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: LACO Associates

Work Order: 0501476

Project: 4844.01 Zenker-Felt

QC SUMMARY REPORT

Method Blank

Sample ID: MB 020205	Batch ID: R33166	Test Code:	Test Code: GASW-MS	Units: µg/L		Analysis	Analysis Date: 2/3/05 1:08:00 AM	1:08:00 AM	Prep Date:	
Client ID:		Run ID:	ORGCMS2_050203A	50203A		SeqNo:	480957			
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit RPD Ref Val	Ref Val	%RPD RPDLimit	Qual
TPHC Gasoline	QN	50		A (Addinate) a melytati (Addinata) da melytati (Banata) a manata	\$5.000 mm/mm/mm/mm/mm/mm/mm/mm/mm/mm/mm/mm/mm/					
Sample ID: MB-12860 Client ID:	Batch ID: 12860	Test Code: Run ID:	Test Code: TPHCGS Ur Run ID: ORGC8 050126A	Units: µg/g 26A		Analysis SeqNo:	Date: 1/26/05 478988	Analysis Date: 1/26/05 10:51:51 PM SeqNo: 478988	Prep Date: 1/26/05	
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	LowLimit HighLimit RPD Ref Val	RPD Ref Val	%RPD RPDLimit	Qual
TPHC Gas (C6-C14)	0.3385	1.0		1	Per de Company of the	Andrew designation of the second second second				7
Sample ID: MB-12889 Client ID:	Batch ID: 12889	Test Code: TPHDIS Run ID: ORGC7	TPHDIS UN	Units: µg/g		Analysis SegNo:	Analysis Date: 2/2/05 10:23:54 AM SegNo: 480676	10:23:54 AM	Prep Date: 2/1/05	
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit RPD Ref Val	Ref Val	%RPD RPDLimit	Qual
TPHC Diesel (C12-C22) N-Tricosane	ND 1.23	1.0	1.00	0	123%	45	122	0		s
Sample ID: MB-12877 Client ID:	Batch ID: 12877	Test Code: TPHDIW Run ID: ORGC7_	TPHDIW Un	Units: µg/L 31A		Analysis SeqNo:	Date: 1/31/09 480159	Analysis Date: 1/31/05 11:45:05 AM SeqNo: 480159	Prep Date: 1/29/05	
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit RPD Ref Val	Ref Val	%RPD RPDLimit	Qual
TPHC Diesel (C12-C22) N-Tricosane	ND 48.4	50 0.10	50.0	0	%6:96	28	107	0		

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantítation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

North Coast Laboratories, Ltd.

LACO Associates CLIENT:

0501476 Work Order: Project:

4844.01 Zenker-Felt

Laboratory Control Spike

QC SUMMARY REPORT

Date: 07-Feb-05

Sample ID: LCS-05078	Batch ID: R33168	Test Code:	Test Code: 82600XYW	Units: µg/L		Analysis	Date: 2/3/0	Analysis Date: 2/3/05 9:07:00 AM	Prep Date:	ite;	
Client ID:		Run 1D:	ORGCMS2_050202A	50202A		SeqNo:	480983	g			
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLímít	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl tert-butyl ether (MTBE)	16.53	1.0	20.0	0	82.6%	80	120	0			
Tert-butyl alcohol (TBA)	359.8	4	400	0	%0.06	25	162	0			
Di-isopropyl ether (DIPE)	16.87	1.0	20.0	0	84.3%	80	120	0			
Ethyl tert-butyl ether (ETBE)	17.06	1.0	20.0	0	85.3%	77	120	0			
Benzene	17.91	0.50	20.0	0	89.6%	78	117	0			
Tert-amyl methyl ether (TAME)	() 17.75	1.0	20.0	0	88.8%	64	136	0			
Toluene	17.24	0.50	20.0	0	86.2%	80	120	0			
Ethylbenzene	18.99	0.50	20.0	0	94.9%	80	120	0			
m,p-Xylene	38.19	0.50	40.0	0	95.5%	80	120	0			
o-Xylene	19.28	0.50	20.0	0	96.4%	80	120	0			
1,4-Dichlorobenzene-d4	1.03	0.10	1.00	0	103%	81	139	0			
Sample ID: LCSD-05078	Batch ID: R33168	Test Code:	82600XYW	Units: µg/L		Analysis	Date: 2/3/0	Analysis Date: 2/3/05 9:37:00 AM	Prep Date:	ıte:	
Client ID:		Run ID:	ORGCMS2_050202A	50202A		SeqNo:	480984	4			
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl tert-butyl ether (MTBE)	16.76	1.0	20.0	0	83.8%	80	120	16.5	1.38%	8	
Tert-butyl alcohol (TBA)	379.2	10	400	0	94.8%	25	162	360	5.23%	20	
Di-isopropyl ether (DIPE)	16.80	1.0	20.0	0	84.0%	80	120	16.9	0.411%	20	
Ethyl tert-butyl ether (ETBE)	18.51	1.0	20.0	0	92.5%	77	120	17.1	8.14%	20	
Benzene	17.79	0.50	20.0	0	89.0%	78	117	17.9	0.684%	20	
Tert-amyl methyl ether (TAME)	() 17.83	1.0	20.0	0	89.1%	64	136	17.8	0.422%	20	
Toluene	17.63	0.50	20.0	0	88.2%	80	120	17.2	2.26%	20	
Ethylbenzene	18.88	0.50	20.0	0	94.4%	80	120	19.0	0.567%	20	
m,p-Xylene	37.82	0.50	40.0	0	94.6%	80	120	38.2	0.973%	20	
o-Xylene	19.31	0.50	20.0	0	96.5%	80	120	19.3	0.151%	20	
1,4-Dichlorobenzene-d4	1.06	0.10	1.00	0	106%	8	139	1.03	2.59%	20	
Qualifiers: ND - Not	ND - Not Detected at the Reporting Limit	ferbana Vanna des 1960 (Fra 111 fins) na efectivido a massidado en massidades en massi	S-Sp	S - Spike Recovery outside accepted recovery limits	e accepted rec	overy limits	<u>a</u>	B - Analyte detected in the associated Method Blank	in the associate	ed Method Bla	nk
J - Analyte	J - Analyte detected below quantitation limits	nits	R-R	R - RPD outside accepted recovery limits	recovery limit	S					

CLIENT: LACO Associates

Work Order: 0501476

Project: 4844.01 Zenker-Felt

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: LCS-12860	Batch ID: 12860	Test Code: BTXES	BTXES	Units: µg/g		Analysis	Date: 1/26/0	Analysis Date: 1/26/05 6:50:57 PM	Prep Da	Prep Date: 1/26/05	
Client ID:		Run ID:	ORGC8_050126B	26B		SeqNo:	479008	co			
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
MTBE	0.3807	0.050	0.400	0	95.2%	75	124	0		AND AND AND A SALAMINE TO THE SALAMINE TO SALAMINE THE SA	
Benzene	0.05206	0.0050	0.0500	0	104%	80	128	0			
Toluene	0.05586	0.0050	0.0500	0	112%	82	126	0			
Ethylbenzene	0.05325	0.0050	0.0500	0	107%	80	126	0			
m.p-Xylene	0.1055	0.0050	0.100	0	106%	8	130	0			
o-Xylene	0.05414	0.0050	0.0500	0	108%	84	125	0			
Cis~1,2-Dichloroethylene	1.16	0.10	1.00	0	116%	72	135	0			
Sample ID: LCSD-12860	Batch ID: 12860	Test Code: BTXES	BTXES	Units: µg/g		Analysis	Date: 1/26/	Analysis Date: 1/26/05 7:25:28 PM	Prep Da	Prep Date: 1/26/05	
Client ID:		Run ID:	ORGC8_050126B	26B		SeqNo:	479009	6			
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
MTBE	0.3770	0.050	0.400	0	94.3%	75	124	0.381	0.962%	15	
Benzene	0.05195	0.0050	0.0500	0	104%	80	128	0.0521	0.204%	15	
Toluene	0.05477	0.0050	0.0500	0	110%	85	126	0.0559	1.97%	15	
Ethylbenzene	0.05326	0.0050	0.0500	0	107%	80	126	0.0532	0.0124%	15	
m,p-Xylene	0.1037	0.0050	0.100	0	104%	84	130	0.106	1.72%	15	
o-Xylene	0.05370	0.0050	0.0500	0	107%	84	125	0.0541	0.811%	15	
Cis-1,2-Dichloroethylene	1,13	0.10	1.00	0	113%	72	135	1.16	2.95%	15	
Sample ID: LCS-05079	Batch ID: R33166	Test Code:	Test Code: GASW-MS	Units: µg/L		Analysis	Date: 2/3/0	Analysis Date: 2/3/05 11:07:00 AM	Prep Date:	ate:	
Client ID:		Run ID:	ORGCMS2_050203A	50203A		SeqNo:	480954	4			
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit		HighLimit RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	921.2	50	1,000	0	92.1%	80	120	0			

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

LACO Associates CLIENT:

0501476 Work Order:

4844.01 Zenker-Felt Project:

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID: LCSD-05079	Batch ID: R33166	Test Code:	Test Code: GASW-MS	Units: µg/L		Analysis	Date: 2/3/0	Analysis Date: 2/3/05 11:37:00 AM	Prep Date:	ite:	
Client ID:		Run ID:	ORGCMS2_050203A	50203A		SeqNo:	480955	ស			
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	914.3	50	1,000	0	91.4%	80	120	921	0.761%	20	
Sample ID: LCS-12860-G Client ID:	Batch ID: 12860	Test Code: Run ID:	Test Code: TPHCGS Ur Run ID: ORGC8 050126A	Units: µg/g 26A		Analysis SeqNo:	Date: 1/26/05 478985	Analysis Date: 1/26/05 8:34:25 PM SeqNo: 478985	Prep Da	Prep Date: 1/26/05	
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPOLimit	Qual
TPHC Gas (C6-C14)	10.81	1.0	10.0	0	108%	94	140	0	haanssandadaan samad joo had addadaan ji Figi		
Sample ID: LCSD-12860-6 Client ID:	Batch ID: 12860	Test Code: Run ID:	Test Code: TPHCGS Un Run ID: ORGC8_050126A	Units: µg/g 26A		Analysis SeqNo:	Date: 1/26/05 478986	Analysis Date: 1/26/05 9:08:50 PM SeqNo: 478986	Prep Da	Prep Date: 1/26/05	
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	HighLimit RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gas (C6-C14)	10.97	1.0	10.0	0	110%	94	140	10.8	1.43%	15	delle a a a colora delle d
Sample ID: LCS-12889	Batch ID: 12889	Test Code: TPHDIS	TPHDIS	Units: µg/g		Analysis	. Date: 2/1/0	Analysis Date: 2/1/05 5:40:18 PM	Prep Da	Prep Date: 2/1/05	
Client ID:		Run ID;	ORGC7_050201A	201A		SedNo:	480673	73			
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22) N-Tricosane	9.219	0.10	10.0	0 0	92.2% 126%	78	133	00			S
Sample ID: LCSD-12889 Client ID:	Batch ID: 12889	Test Code: TPHDIS Run ID: ORGC7_	: TPHDIS Ur ORGC7_050201A	Units: µg/g 201A		Analysis SeqNo:	5 Date: 2/1/05 480674	Analysis Date: 2/1/05 5:58:58 PM SeqNo: 480674	Prep Da	Prep Date: 2/1/05	
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit		HighLimit RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22)	9.496	1.0	10.0	0	95.0%	78	133	9.22	2.96%	15	A
N-Tricosane	1.25	0.10	1.00	0	125%	45	122	1.26	0.199%	र्	တ

ND - Not Detected at the Reporting Limit Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

LACO Associates CLIENT:

0501476 Work Order: Project:

4844.01 Zenker-Felt

×
$\overline{}$
b (
K
¥
\succ
-4
7
7
\leq
\rightarrow
7
92
\mathbf{C}
_

Laboratory Control Spike

Sample ID: 1 CS-12877	Batch ID: 12877	Test Code: TPHDIW	TPHDIW	Units: 110/		Analysis	Date: 1/31/0	Analysis Date: 1/31/05 10:12:19 AM	Pren Da	Pren Date: 1/29/05	
Client ID:		Run ID:	ORGC7_050131A	31A		SeqNo:	480157		<u>-</u>		
Analyte	Result	Limit	SPK value	SPK value SPK Ref Val	% Rec	LowLimit	LowLimit HighLimit RPD Ref Val	RPD Ref Val	%RPD	%RPD RPDLimit	Qual
TPHC Diesel (C12-C22)	450.5	50	200	0	90.1%	80	120	0			
N-Tricosane	61.2	0.10	50.0	0	122%	28	107	0			S
Sample ID: LCSD-12877	Batch ID: 12877	Test Code: TPHDIW	TPHDIW	Units: µg/L		Analysis	. Date: 1/31/0	Analysis Date: 1/31/05 10:30:55 AM	Prep Da	Prep Date: 1/29/05	
Client ID:		Run ID:	ORGC7_050131A	31A		SeqNo:	480158	~			
Analyte	Result	Limit	SPK value	SPK value SPK Ref Val	% Rec	LowLimit	LowLimit HighLimit RPD Ref Val	RPD Ref Val	%RPD	%RPD RPDLimit	Qual
TPHC Diesel (C12-C22)	492.5	20	200	. 0	98.5%	80	120	450	8.89%	15	
N-Tricosane	2.09	0.10	50.0	0	121%	28	107	61.2	0.859%	15	s

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

Qualifiers:

J - Analyte detected below quantitation limits ND - Not Detected at the Reporting Limit